3 Science. Applied to Life.™

A legend Hereitain A lege

Precision optics. A comfortable, slim fit. Premium quality at a great price.

The 3M[™] Speedglas[™] Welding Helmet 9002NC. <u>Reengineered in a</u> brand new light.

3M.ca/LegendReborn



The 3M[™] Speedglas[™] Welding Helmet 9002NC – reengineered for a better view, and more comfort.

Now you get advanced optics, less weight and a great new look.

For over 20 years, the 3M[™] Speedglas[™] Welding Helmet 9000 set the standard for rugged, dependable protection. Now we've incorporated the best features of this pioneering helmet into the 3M[™] Speedglas[™] Welding Helmet 9002NC—giving a new generation of welders superior performance at a price that won't break the bank.

This helmet is a classic, and now incorporates the newest technology from the 3M Speedglas brand. Advanced auto-darkening optics are easily adjusted to meet your working conditions for a lighter, brighter and more detailed view of your welds. And a lighter weight, slim profile means less constriction in tight spaces.



Reengineered with the features you want and need.

Comfort

Ergonomically designed suspension, for a precise fit, and a smooth ratchet for easy tightening, even with gloves on!

Advanced Optics

Improved optics in the Speedglas[™] welding filter 9002NC helps you see your welds in a new light, providing more contrast and natural-looking colour as shown in these photos.



9002NC ADF Shade 3



Sample Competitor



Design

A signature sleek, modern and professional look.

Clarity

Built-in exhaust vents help reduce fogging.

Shield width 9.29 in/23.6 cm



Freedom of Movement


Slim helmet – less than 500 g (1.1 lbs), with a shield that's just 23.6 cm (9.29") wide, protects even in cramped spaces.

Affordability

State-of-the-art auto-darkening optics are within the reach of every welder, from apprentices to seasoned veterans.

Customize your 3M[™] Speedglas[™] Welding Helmet 9002NC

with accessories including magnifying lenses, ear and neck covers, flame retardant hoods and 3M[™] Disposable Respirators.





04-0112-00NC





05-0660-00

05-0655-00



06-0700-83





07-0014-00NR

Part No.	Description		
04-0100-20NC-CA	3M [™] Speedglas [™] Welding Helmet 9002NC		
04-0112-00NC	3M [™] Speedglas [™] Welding Helmet 9000 without ADF welding filter		
04-0000-21NC-CA	3M [™] Speedglas [™] Welding Filter		
04-0212-02NC	3M™ Speedglas™ Front Panel		
04-0270-01	Outside protection plate, 10/case		
04-0270-03	Outside protection plate, scratch resistant, 10/case		
04-0270-04	Outside protection plate, high temperature, 10/case		
04-0280-00	Inside protection plate, 5/case		
04-0320-00	Battery, 2/case		
04-0380-00	Battery holders blue, 2/case		
05-0655-00	Headband with assembly parts		
05-0660-00	Assembly parts for headband		
06-0700-83	Full hood black/grey		
07-0024-02	Sweatband fleece, 2/case		
18-0099-68	Throat and side protector, leather		
07-0014-00NR	Hard Hat Adaptor 1/case		

3M[™] Disposable Respirators for welding and metal pouring

Model	NIOSH Class	Qty/Box	Boxes/Case	Case Qty
8212	N95	10	8	80
8214	N95	10	8	80
8512	N95	10	8	80
8514	N95	10	8	80
8515	N95	10	8	80

3M.ca/LegendReborn



3M Personal Safety Division 3M Canada

P.O. Box 5757 London, ON N6A 4T1

Technical Assistance 1-800-267-4414

3M PSD products are for occupational use only.

These respirators help reduce exposures to certain airborne particulates. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see package instructions, supervisor, or call 3M PSD Technical Service in Canada at 1-800-267-4414.

3M, 3M Science. Applied to Life. and Speedglas are trademarks of 3M. Used under license in Canada. © 2017, 3M. Please recycle. 170508705 E BA-17-23817